



OFFICIAL AUTHORIZED DISTRIBUTOR IN VIETNAM

INTRACO Plastic Pallets distributed in Vietnam by **ICD Vietnam**

ICD Vietnam Industrial Production Co., Ltd is the official authorized distributor of INTRACO plastic pallets in Vietnam. All products in this catalogue are available for quotation, stock inquiry and nationwide delivery through ICD Vietnam.

GENUINE PRODUCTS

100% genuine INTRACO plastic pallets, imported and distributed with full manufacturer documentation and a **2-year official warranty.**

NATIONWIDE SUPPLY

Warehouses in both Northern and Southern Vietnam, ready stock and fast delivery to factories, warehouses and logistics centers **nationwide.**

TECHNICAL SUPPORT

Free consultation on pallet selection by load capacity, racking system and application, with **on-site support** when required.

CONTACT ICD VIETNAM FOR QUOTATION

Hotline 0983 797 186 / 090 345 9186 / 090 5859 186

Email sales@icdvietnam.com.vn

Website <https://icdvietnam.com.vn>

North Office 3rd Floor, Thang Long A1 Building, Bau Hamlet, Thien Loc, Hanoi

South Office 551/212 Le Van Khuong St., Tan Thoi Hiep, District 12, Ho Chi Minh City

intraco pallet®

An Order of Power & Performance™

GO BEYOND
CREATE TOMORROW

Main Catalogue v.10



www.intracopallet.com





ABOUT US

See Hau Global Sdn. Bhd. is a leading manufacturer and marketer of high quality plastic pallets. Established in 1994, we started with only one molding machine. Today, we are the largest manufacturer of plastic pallets in Malaysia and this region.

See Hau Global's products meet the stringent requirements of the American Society for Testing and Material (ASTM), the Japanese Industrial Standards (JIS) and the ISO standards. We take pride in offering a wide range of quality products which includes one-way shipping, nestable, rackable, super hygiene and ASRS pallets. Our products are designed to meet the differing needs of various industries, such as pharmaceutical, electrical, food, paper, petrochemical, etc. We help businesses move, store, and distribute their products faster, better, safer and more cost-effectively.



intraco pallet[®] BENEFITS YOUR BUSINESS



COMPLIANCES



Hygienic and washable, IntracoPallet[®] helps you comply with regulations:

- ✓ **GMP, HACCP & ISO22001** (food safety)
- ✓ **Exempted from ISPM -15** (exports)
- ✓ **5S** (clean manufacturing environment)
- ✓ **ISO 9001:2008** (quality management system)
- ✓ **ISO 14001:2004** (environmental protection)

OPERATION

- ✓ **No repairing.**
- ✓ **No cleaning of wood debris on factory floor.**
- ✓ **Less product damages.**
- ✓ **Less production down time.**
- ✓ **Less administrative works** (no pallet treatment, reduce pallet ordering frequency etc.)
- ✓ **Simply less hassle.**





COST

- ✓ 5-10 years working life
- ✓ Benefit from trade-in value
- ✓ Approximately 50% savings over 5 years as compared to wooden pallets

ACCOLADES



EXPORT EXCELLENCE AWARD



GREEN EXCELLENCE AWARD




M-Series

Medium Duty Pallets

Features: These pallets are medium duty with efficient weight.


Applications: Suitable for stacking of uniform goods.

Storage: Stacking and light racking.




M1111S4-2A

Single-sided		
Dimension	1100 x 1100 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	500kg	
 4 way	 2 way	 2 way



M1280S4-2A

Single-sided		
Dimension	1200 x 800 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	300kg	
 4 way	 4 way	 2 way




M1210D4-1A

Double deck		
Dimension	1200 x 1000 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	500kg	
 4 way	 4 way	 NA

H-Series

Heavy Duty Pallets


Features:	These pallets are heavy duty and their rib structures are thick and strong. Some are steel reinforced.
Applications:	Suitable for heavy loads (around 1000kg) even on racks. Loads must be cross-stacked.
Storage:	Stacking and racking.



H1280S4-2M

Steel reinforced

Single-sided		
Dimension	1200 x 800 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
	4 way	4 way 2 way




H1111S4-2M

Steel reinforced

Single-sided		
Dimension	1100 x 1100 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
	4 way	2 way 2 way

H-Series Heavy Duty Pallets

Heavy Duty Pallets



Bottom


H1210S4-3J

Steel reinforced

H1210S4-3L

Steel reinforced

	Single-sided	Single-sided	
Dimension	1200 x 1000 x 160mm	1200 x 1000 x 160mm	
Material	PPC/HDPE	PPC/HDPE	
Colour	Grey/Blue	Grey/Blue	
Static	4500kg	4500kg	
Dynamic	1000kg	1500kg	
Racking	1000kg	1200-1500kg	
	 4 way	 2 way	 2 way



Bottom

H1210S4-2A

Single-sided		
Dimension	1200 x 1000 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 2 way	 2 way


H1210S4-2M

Steel reinforced

Single-sided		
Dimension	1200 x 1000 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1500kg	
Racking	1500kg	
 4 way	 2 way	 2 way

H-Series

Heavy Duty Pallets




Bottom

H1210D4-1L

Steel reinforced

Double deck		
Dimension	1200 x 1000 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1500kg	
Racking	1000-1500kg	
4 way	4 way	NA



Bottom

Option with MOQ

H1210R4-3L


Steel reinforced

Reversible		
Dimension	1200 x 1000 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
4 way	NA	NA

H1210R4-3E

Steel reinforced

Reversible		
Dimension	1200 x 1000 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg (depth 1000mm)	
4 way	NA	NA




H1210S4-1A

Single-sided	
Dimension	1200 x 1000 x 160mm
Material	HDPE
Colour	Grey
Static	6000kg
Dynamic	1000kg
Racking	1000kg
4 way	2 way 2 way




Bottom



Bottom

H1210R4-1A

Reversible	
Dimension	1200 x 1000 x 160mm
Material	HDPE
Colour	Grey
Static	6000kg
Dynamic	1500kg
Racking	1000kg
4 way	NA NA



Bottom


H1211R4-2A

Reversible		
Dimension	1200 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
4 way	NA	NA

H1211R4-2L/2E

Steel reinforced

Reversible		
Dimension	1200 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1500kg	
Racking	1000-1500kg (depth 1200mm)	
4 way	NA	NA



Bottom


H1211D4-2A

Double deck		
Dimension	1200 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
4 way	4 way	NA

H1211D4-2L/2E

Steel reinforced

Double deck		
Dimension	1200 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1500kg	
Racking	1000-1500kg (depth 1200mm)	
4 way	4 way	NA




Bottom

H1212S4-3J Steel reinforced

H1212S4-3L Steel reinforced

	Single-sided	Single-sided
Dimension	1200 x 1200 x 160mm	1200 x 1200 x 160mm
Material	PPC/HDPE	PPC/HDPE
Colour	Grey/Blue	Grey/Blue
Static	4500kg	4500kg
Dynamic	1500kg	1500kg
Racking	1000kg	1200-1500kg
	4 way	2 way 2 way

H1212S4-2A




Bottom

	Single-sided
Dimension	1200 x 1200 x 160mm
Material	PPC/HDPE
Colour	Grey/Blue
Static	4000kg
Dynamic	1000kg
Racking	1000kg
	4 way 2 way 2 way


H1212S4-2M Steel reinforced

	Single-sided
Dimension	1200 x 1200 x 160mm
Material	PPC/HDPE
Colour	Grey/Blue
Static	4500kg
Dynamic	1500kg
Racking	1500kg
	4 way 2 way 2 way




H1212R4-3A

Reversible		
Dimension	1200 x 1200 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1000kg	
Racking	700kg	
	4 way	NA NA




H1212S4-1A

Single-sided		
Dimension	1200 x 1200 x 160mm	
Material	HDPE	
Colour	Grey	
Static	6000kg	
Dynamic	1000kg	
Racking	1000kg	
	4 way	2 way 2 way




H1212D4-1A

Double deck		
Dimension	1200 x 1200 x 160mm	
Material	HDPE	
Colour	Grey	
Static	6000kg	
Dynamic	1000kg	
Racking	1000kg	
	4 way	4 way NA



H1212R4-1A

Reversible		
Dimension	1200 x 1200 x 160mm	
Material	HDPE	
Colour	Grey	
Static	6000kg	
Dynamic	1500kg	
Racking	1000kg	
	4 way	NA NA



H1311R4-2A

Reversible		
Dimension	1300 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1500kg	
4 way	NA	NA




Bottom

H1311R4-2L/2E

Steel reinforced

Reversible		
Dimension	1300 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1500kg	
Racking	1000-1500kg (depth 1300mm)	
4 way	NA	NA



H1311D4-2A

Double deck		
Dimension	1300 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1500kg	
4 way	4 way	NA



Bottom


H1311D4-2L/2E

Steel reinforced

Double deck		
Dimension	1300 x 1100 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4500kg	
Dynamic	1500kg	
Racking	1000-1500kg (depth 1300mm)	
4 way	4 way	NA

H-Series

Heavy Duty Pallets




Bottom

H1350R4-2A

H1350R4-2L/2E

Steel reinforced

	Reversible	Reversible
Dimension	1350 x 1100 x 160mm	1350 x 1100 x 160mm
Material	HDPE	HDPE
Colour	Grey/Blue	Grey/Blue
Static	4000kg	4500kg
Dynamic	1000kg	1500kg
Racking	NA	1000-1500kg (depth 1350mm)
	4 way	NA NA NA



Bottom




Bottom

H1313R4-1A

H1313D4-1A

	Reversible	Double deck
Dimension	1360 x 1360 x 160mm	1360 x 1360 x 160mm
Material	HDPE	HDPE
Colour	Grey/Blue	Grey/Blue
Static	6000kg	6000kg
Dynamic	1000kg	1000kg
Racking	700kg	700kg
	4 way NA NA	4 way 4 way NA



Bottom

H1313S4-2N

Steel reinforced


H1313S4-2Q

Steel reinforced

	Single-sided	Single-sided
Dimension	1320 x 1320 x 167mm	1320 x 1320 x 167mm
Material	HDPE	HDPE
Colour	Grey/Blue	Grey/Blue
Static	4500kg	4500kg
Dynamic	1000kg	1500kg
Racking	800kg	1000-1250kg
	4 way	4 way 2 way

H-Series

Heavy Duty Pallets




Bottom

H1411R4-2A

H1411R4-2L/2E

Steel reinforced

	Reversible		Reversible
Dimension	1400 x 1100 x 150mm		1400 x 1100 x 150mm
Material	HDPE		HDPE
Colour	Grey/Blue		Grey/Blue
Static	4000kg		4500kg
Dynamic	1000kg		1500kg
Racking	NA		1000-1500kg
	4 way	NA	NA




Bottom

H1450R4-2A

H1450R4-2L/2E

Steel reinforced

	Reversible		Reversible
Dimension	1450 x 1150 x 150mm		1450 x 1150 x 150mm
Material	HDPE		HDPE
Colour	Grey/Blue		Grey/Blue
Static	4000kg		4500kg
Dynamic	1000kg		1500kg
Racking	NA		1000-1500kg
	4 way	NA	NA




Bottom

H1412S4-1A

H1412S4-1M

Steel reinforced


	Single-sided		Single-sided
Dimension	1400 x 1225 x 185mm		1400 x 1225 x 185mm
Material	PPC/HDPE		PPC/HDPE
Colour	Grey/Blue		Grey/Blue
Static	6000kg		6000kg
Dynamic	1000kg		1500kg
Racking	1000kg		1000kg-1500kg
	4 way	2 way	2 way



Bottom

H1412R4-1A

Reversible		
Dimension	1400 x 1200 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1500kg	
4 way	NA	NA




Bottom

H1512R4-1A

Reversible		
Dimension	1500 x 1200 x 150mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1500kg	
4 way	NA	NA


H-Series

Heavy Duty Pallets




H1515R4-1A

Reversible		
Dimension	1500 x 1500 x 150mm	
Material	HDPE	
Colour	Green	
Static	4500kg	
Dynamic	1500kg	
Racking	800-1000kg	
 4 way	 NA	 NA




H1715R4-1A

Reversible		
Dimension	1740 x 1540 x 170mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
 4 way	 NA	 NA




H1717R4-1A

Reversible		
Dimension	1700 x 1700 x 150mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
 4 way	 NA	 NA




H1814R4-1A

Reversible		
Dimension	1800x1430x150mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
4 way	NA	NA




H1816R4-1A

Reversible		
Dimension	1800 x 1600 x 150mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
4 way	NA	NA




H1818R4-1A

Reversible		
Dimension	1813 x 1813 x 150mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
4 way	NA	NA



H1995R4-1A

Reversible		
Dimension	1900 x 950 x 150mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
 4 way	 NA	 NA




H1919R4-1A

Reversible		
Dimension	1960 x 1960 x 150mm	
Material	HDPE	
Colour	Green	
Static	6000kg	
Dynamic	2000kg	
Racking	1000kg	
 4 way	 NA	 NA

S-Series

Super Hygiene Pallets

- Features:** Flat and smooth top surface.
- Applications:** Suitable for food, beverage, pharmaceutical, paper and printing.
Excellent for HACCP, GMP environment.
- Storage:** Stacking and racking.




Bottom

S1197S4-2L

Steel reinforced

Single-sided		
Dimension	1120 x 970 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 4 way	 2 way




Bottom

S1111S4-2L

Steel reinforced

Single-sided		
Dimension	1100 x 1100 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
4 way	4 way	2 way




Bottom

S1120S4-2L

Steel reinforced

Single-sided		
Dimension	1120 x 1120 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
4 way	4 way	2 way



Mesh top with MOQ




Bottom

S1160D2-3A

S1160D2-3L

Steel reinforced

Double deck			
Dimension	1160 x 1160 x 150mm		1160 x 1160 x 150mm
Material	HDPE		HDPE
Colour	Grey/Blue		Grey/Blue
Static	6000kg		6000kg
Dynamic	1500kg		1500kg
Racking	1000kg		1500kg
2 way	2 way	NA	




Bottom

S1210D4-3N

S1210D4-3P
Steel reinforced

	Double deck		
Dimension	1200 x 1000 x 160mm		1200 x 1000 x 160mm
Material	HDPE		HDPE
Colour	Grey/Blue		Grey/Blue
Static	6000kg		6000kg
Dynamic	1000kg		1000kg - 1500kg
Racking	1000kg		1000kg - 1500kg
	4 way	4 way	NA



Bottom

S1210S4-3N

S1210S4-3P
Steel reinforced

	Single-sided		
Dimension	1200 x 1000 x 160mm		1200 x 1000 x 160mm
Material	HDPE		HDPE
Colour	Grey/Blue		Grey/Blue
Static	6000kg		6000kg
Dynamic	1000kg		1000kg-1500kg
Racking	1000kg		1000kg-1500kg
	4 way	4 way	2 way




S1212D4-2P
Steel reinforced

	Double deck		
Dimension	1200 x 1200 x 160mm	1200 x 1200 x 160mm	1200 x 1200 x 160mm
Material	HDPE	HDPE	HDPE
Colour	Grey/Blue	Grey/Blue	Grey/Blue
Static	6000kg	6000kg	6000kg
Dynamic	1000kg	1000kg-1500kg	1500kg
Racking	500kg	1000kg-1200kg	1000kg-1500kg
	 4 way	 4 way	 NA



S1212S4-2P
Steel reinforced

	Single sided		
Dimension	1200 x 1200 x 160mm	1200 x 1200 x 160mm	1200 x 1200 x 160mm
Material	HDPE	HDPE	HDPE
Colour	Grey/Blue	Grey/Blue	Grey/Blue
Static	6000kg	6000kg	6000kg
Dynamic	1000kg	1000kg-1500kg	1500kg
Racking	500kg	1000kg-1200kg	1000kg-1500kg
	 4 way	 4 way	 2 way




S1510R2-1A

Reversible		
Dimension	1500 x 1000 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	NA	
2 way	NA	NA

S1510R2-1Q

Steel reinforced

Reversible		
Dimension	1500 x 1000 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	8000kg	
Dynamic	2000kg	
Racking	1000-1500kg	
2 way	NA	NA




S1512R2-1A

Reversible		
Dimension	1500 x 1200 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	NA	
2 way	NA	NA

S1512R2-1Q

Steel reinforced

Reversible		
Dimension	1500 x 1200 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	8000kg	
Dynamic	2000kg	
Racking	1000-1500kg	
2 way	NA	NA




S1513R2-1A

Reversible		
Dimension	1500 x 1300 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	NA	
2 way	NA	NA

S1513R2-1Q

Steel reinforced

Reversible		
Dimension	1500 x 1300 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	8000kg	
Dynamic	2000kg	
Racking	1000-1500kg	
2 way	NA	NA



Bottom

S1065D4-1A

All S1065 models

Double deck		
Dimension	1000 x 650 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
4 way	4 way	NA

OTHER VARIANCES

S1065R4-1A



	Reversible
	4 way
	NA
	NA

S1065S4-1A



	Single-sided
	4 way
	4 way
	2 way

S1065S4-2A




	Single-sided
	4 way
	4 way
	2 way

S1065K4-1A



	9-leg
	4 way
	4 way
	4 way



Bottom

S1070D4-1A

All S1070 models

Double deck		
Dimension	1000 x 700 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
4 way	2 way	NA

S1070R4-1A



	Reversible
	4 way
	NA
	NA

S1070S4-1A



	Single-sided
	4 way
	2 way
	2 way

S1070S4-2A




	Single-sided
	4 way
	2 way
	2 way

S1070K4-2A



	9-leg
	4 way
	4 way
	4 way

OTHER VARIANCES



Bottom

S1180D4-1A

All S1180 models

Double deck		
Dimension	1100 x 800 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
4 way	4 way	NA



S1180R4-1A

	Reversible
	4 way
	NA
	NA



S1180S4-1A

	Single-sided
	4 way
	2 way
	2 way




S1180S4-2A

	Single-sided
	4 way
	2 way
	2 way



S1180K4-1A

	9-leg
	4 way
	4 way
	4 way



Bottom

S1290D4-1A

All S1290 models

Double deck		
Dimension	1200 x 900 x 150mm	
Material	HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
4 way	2 way	NA



S1290R4-1A

	Reversible
	4 way
	NA
	NA



S1290S4-1A

	Single-sided
	4 way
	2 way
	2 way



S1290S4-2A

	Single-sided
	4 way
	2 way
	2 way



S1290K4-1A

	9-leg
	4 way
	4 way
	4 way


P-Series

Pharmaceutical Pallets

Features: Flat and smooth surfaces all over pallet, including under-deck.


Applications: Suitable for pharmaceutical and ultra hygienic applications.

Storage: Stacking and racking.



P1280S4-1N
Steel reinforced

Single-sided		
Dimension	1200 x 800 x 150mm	
Material	HDPE	
Colour	Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 2 way	 2 way




P1210S4-1N
Steel reinforced

Single-sided		
Dimension	1200 x 1000 x 150mm	
Material	HDPE	
Colour	Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 2 way	 2 way

A-Series

Automatic Storage Retrieval System Pallets

- Features:** These reinforced pallets have ultra-high strength to withstand heavyloads and yield less than 10mm deflection on the rack.
- Applications:** Suitable for ASRS (Automatic Storage Retrieval System) environment.
- Storage:** ASRS racking and drive-in racking.




A1210S4-2M Steel reinforced

Single-sided		
Dimension	1200 x 1000 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 2 way	 2 way

A-Series

Automatic Storage Retrieval System Pallets




Bottom

A1210S4-3P

Steel reinforced

Single-sided		
Dimension	1200 x 1000 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1500kg	
Racking	1000kg-1200kg	
 4 way	 4 way	 2 way




Bottom

A1210D4-3P

Steel reinforced

Double deck		
Dimension	1200 x 1000 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1500kg	
Racking	1000kg-1200kg	
 4 way	 4 way	 NA




Bottom

A1210R4-1A

Reversible		
Dimension	1200 x 1000 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 NA	 NA

A-Series

Automatic Storage Retrieval System Pallets




Bottom

A1212S4-3L

Steel reinforced

Single-sided		
Dimension	1200 x 1200 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 2 way	 2 way




Bottom

A1212S4-2M

Steel reinforced


Single-sided		
Dimension	1200 x 1200 x 160mm	
Material	PPC/HDPE	
Colour	Grey/Blue	
Static	4000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 2 way	 2 way



Bottom

A1212R4-1A

Reversible		
Dimension	1200 x 1200 x 160mm	
Material	HDPE	
Colour	Grey/Blue	
Static	6000kg	
Dynamic	1000kg	
Racking	1000kg	
 4 way	 NA	 NA




Bottom

A1313S4-2N
Steel reinforced

A1313S4-2Q
Steel reinforced


	Single-sided		
Dimension	1320 x 1320 x 167mm		1320 x 1320 x 167mm
Material	HDPE		HDPE
Colour	Grey/Blue		Grey/Blue
Static	4500kg		4500kg
Dynamic	1000kg		1500kg
Racking	800kg		1000-1250kg
	4 way	4 way	2 way



Bottom


A1412S4-1M
Steel reinforced

	Single-sided		
Dimension	1400 x 1225 x 185mm		
Material	PPC/HDPE		
Colour	Grey/Blue		
Static	6000kg		
Dynamic	1000kg		
Racking	1000kg		
	4 way	2 way	2 way



T4840TN-1A

Dimension	1220 x 1016 x 25mm		
Material	PPC		
Colour	Make to order		
Static	NA		
Dynamic	NA		
 NA	 NA	 NA	



T1210TN-1A

Dimension	1200 x 1000 x 25mm		
Material	PPC		
Colour	Make to order		
Static	NA		
Dynamic	NA		
 NA	 NA	 NA	

SOLID PLASTIC LAYER PADS

Made of virgin Polypropylene Copolymer Food grade (FDA approval). Customized through different dimensions, surface finishings and colors. Thickness varies from 0.8mm to 3.5mm.

Solid Plastic Layer Pads are far more hygienic than cardboard and can be reused many times with strength and durability. They save unnecessary money in the long term.

Feature:

- ✓ **Hygiene**
No contamination from fibers and particulars
- ✓ **Sustainability**
Multi trip transport. Up to 10 years life span
- ✓ **Durability**
Unaffected by moisture
Strength & dimensional stability
- ✓ **Recyclable**
Can be recycled. Cost-reducing and eco friendly


In addition,

- Dust free / Anti-static agent added
- Smooth surface, Matte finish
- Rounded corners with customized radius
- Easy to clean by regular washing
- Chemical resistance

Solid Plastic layer Pads are reliable products for a constant logistics cycle.

Application:

- Aluminium cans / Steel cans
- Glass bottles / PET bottles
- Other rigid products arranged in tiers



B-Series

Bins



B8040VN

External	800 x 400 x 360mm
Internal	705 x 355 x 350mm
Material	PPC
Colour	Blue
Weight	4kg w/o metal hooks

Metal lip for automatic storage retrieval system (optional)



B8040VN-2

External	800 x 400 x 210mm
Internal	705 x 355 x 200mm
Material	PPC
Colour	Blue
Weight	3.5kg w/o metal hooks

Metal lip for automatic storage retrieval system (optional)



B6040VN

External	600 x 400 x 300mm
Internal	560 x 360 x 285mm
Material	HDPE
Colour	Blue
Weight	3.2kg



B1150VN-1

External	1100 x 500 x 400mm
Internal	993 x 458 x 382.5mm
Material	PPC
Colour	Blue
Weight	12kg w/o metal hooks



B1150VN-2

External	1100 x 500 x 225mm
Internal	993 x 458 x 207.5mm
Material	PPC
Colour	Blue
Weight	9.4kg w/o metal hooks




B1150VN-3

External	1000 x 500 x 115mm
Internal	993 x 458 x 97.5mm
Material	PPC
Colour	Blue
Weight	7.5kg w/o metal hooks

HOW DOES **intracopallet**[®] HELP THE ENVIRONMENT?

By using IntracoPallet[®] in your operation or supply-chain, you can:

- ✓ Reuse the pallets many times
- ✓ Trade in end-of-life pallets back to us for recycling
- ✓ Support the 3R-concept of Reduce, Reuse & Recycle
- ✓ Reduce carbon footprints



STOP DEFORESTATION

Deforestation, the clearing away of forests for land usage, is an extremely destructive behavior that will lead to the eventual collapse of the ecosystem. In fact, the world has already lost half of its tropical forests due to deforestation.

We at IntracoPallet® recognize the seriousness of the situation and are doing our part to save the ecosystem by using environmentally friendly products to make our pallets. We hope that with our humble act, we are raising awareness of this problem and are helping in the process of healing our planet.



CREATING TOMORROW

Every day, a shocking 108,000 acres of forest are cleared for the usage of wood and land. This same problem has been repeated every day over the course of several decades.

At IntracoPallet®, we understand that this cannot go on.

In order to do something about this, we have challenged the ordinary standards of the pallet industry. From the transition of wood to an environmentally friendly plastic pallet, we seek to correct the mistakes of today and change the course of the future. With our new outlook, we seek to create tomorrow.

intraco pallet®



PALLET USAGE

GENERAL RULES

IntracoPallet® products have been tested to international standards. It must be handled by proper methods to avoid undesirable consequences.



Please use the pallet within the stipulated General Rules stated below:

- ❗ IntracoPallet® are designed only for the handling, storage and distribution of well-packed goods. Please use accordingly.
- ❗ Never exceed the maximum load specifications of the pallets.
- ❗ IntracoPallet® products are made from thermo-plastic resin. Never place them close to fire, heaters, strong acids or solvents.
- ❗ IntracoPallet® products become more brittle and slippery in cold room conditions. Please use with care.
- ❗ Most IntracoPallet® products are equipped with anti-slip rubber. However, please pay special attention when handling in wet or oily conditions as the pallet may be slippery.
- ❗ Do not modify the shape of the pallet to prevent the reduction of strength.
- ❗ Do not hit pallet edges using fork tines even though pallet is empty.
- ❗ Do not push loaded pallet on the floor, road or lorry; always lift it up before moving.
- ❗ Fork tines must be fully inserted into pallet before lifting it.
- ❗ Always distribute goods evenly in a cross-stacked manner over the pallet surface.
- ❗ Do not throw or drop pallet.



TEST STANDARD

Raw Material Incoming Test



Pallet Quality Assurance



Compression Test



Dynamic Test



Bending Test



Static Test



Drop Test



ISO8611 Impact Test at -25°C & +60°C



Incline Impact Resistance Test of Pallet Leading-Edge Deckboard



Fork Tine Tip Impact Test



Pallet underwent Collapse Resistance Test



SEE HAU GLOBAL SDN BHD (311566-V)
80 Jalan Pahang, 53000 Kuala Lumpur, Malaysia
t 603-4042 1355 f 603-4042 3407 / 603-4042 9630 e enquiry@intraco.com.my