



OFFICIAL AUTHORIZED DISTRIBUTOR IN VIETNAM

INTRACO Plastic Pallets distributed in Vietnam by **ICD Vietnam**

ICD Vietnam Industrial Production Co., Ltd is the official authorized distributor of INTRACO plastic pallets in Vietnam. All products in this catalogue are available for quotation, stock inquiry and nationwide delivery through ICD Vietnam.

GENUINE PRODUCTS

100% genuine INTRACO plastic pallets, imported and distributed with full manufacturer documentation and a **2-year official warranty.**

NATIONWIDE SUPPLY

Warehouses in both Northern and Southern Vietnam, ready stock and fast delivery to factories, warehouses and logistics centers **nationwide.**

TECHNICAL SUPPORT

Free consultation on pallet selection by load capacity, racking system and application, with **on-site support** when required.

CONTACT ICD VIETNAM FOR QUOTATION

Hotline 0983 797 186 / 090 345 9186 / 090 5859 186

Email sales@icdvietnam.com.vn


Website <https://icdvietnam.com.vn>

North Office 3rd Floor, Thang Long A1 Building, Bau Hamlet, Thien Loc, Hanoi

South Office 551/212 Le Van Khuong St., Tan Thoi Hiep, District 12, Ho Chi Minh City

intraco pallet[®]

An Order of Power & Performance[™]



LEADING THE FUTURE OF SUSTAINABLE PLASTIC PALLET

X SERIES

PRODUCT
CATALOGUE

VER 12.0

About Us

Leading the Future of Sustainable Plastic Pallets

Established in 1994, **See Hau Global Sdn. Bhd.** is the leading manufacturer and marketer of plastic pallets. We have a total production capacity of 4 million pallets annually, making us the leading manufacturer in the region.

products meet the stringent requirements of ISO 8611 standards. We take pride in offering a wide range of quality products including one-way shipping, rackable, and stackable warehouse pallets for conventional and ASRS warehouses.

Our products are designed to meet differing requirements of various industries, including pharmaceutical, electrical and electronics, food and beverage, paper, petrochemical, rubber, and others. Our cost-effective plastic pallets help businesses move, store, and distribute their products faster and safer.

See Hau Global Sdn. Bhd. is a member of the Intraco Group. IntracoPallet[®] is our pallet brand.



Our Mission

Delivering quality plastic pallets and circular polymers reliably and sustainably.



Our Vision

World-class plastic circularity for a sustainable world.

Our Core Values



Integrity

We act with honesty, ethics and fairness in all our dealings.

Innovation

We think out-of-the-box, embrace and drive change.



Transcendence

We strive towards continuous learning, elevating, standards and pushing boundaries.



Collaborations

We foster teamwork, share knowledge and actively listening to different perspectives.

Commitment

We do what we say.

ACCOLADES

IntracoPallet is Operating in Compliances and Acknowledged By Global Awards



ISO 9001 Certified



ISO 14001 Certified



▲ EXPORT EXCELLENCE AWARD



◀ MIHAS PRODUCT EXCELLENCE 2024



2024 KUALA LUMPUR BEST EXPORTER ▶



◀ GREEN EXCELLENCE AWARD



PLASTIC PALLET BENEFITS

Our **X-Series** pallets are made from **100%** recycled materials from post consumer recycle (PCR)



Clean & Hygienic

- No contamination risk, excellent for GMP, HACCP, and ISO 22001 environments.



ISPM-15 Compliant

- Free of any ISPM-15 rules and regulations.
- No hassles, less administrative works.
- Custom clearance of import consignments made easy.



RoHS Compliant

- Ensure compliance with EU regulations.



3 Rs (Reduce, Reuse, Recycle)

- Reuse plastic.



No Wood, Nails, or Splinters

- Removes wood-related risks of injury, contamination, and damage.



Less Damaged Cargo

- A stable and reliable design improves load protection, leading to fewer product losses during handling and transport.



Consistent Quality and Dimension

- Reliable packaging solution.



Automation Friendly

- Reduces downtime, increases line speed.



Light Weight

- Prevent the container from overloading.
- Easier to operate.



No Deforestation

- Eliminates the need for timber, helping preserve forests and biodiversity.



Supports Circular Economy


- Reusable and fully recyclable to reduce waste.



ISPM-15 Exempted



Come from **RECYCLED**,
End in **RECYCLE**



SUSTAINABLE DEVELOPMENT GOALS

9 INDUSTRY, INNOVATION
AND INFRASTRUCTURE



11 SUSTAINABLE CITIES
AND COMMUNITIES



12 RESPONSIBLE
CONSUMPTION
AND PRODUCTION



13 CLIMATE
ACTION



14 LIFE
BELOW WATER



15 LIFE
ON LAND



17 PARTNERSHIPS
FOR THE GOALS



IntracoPallet
sustainability efforts:



Solar



Electric forklift



Promote
circular economy




Frequent machines
upgrade to efficient motors

Operation Clean Sweep®

OCS

QUALITY ASSURANCE

Raw material Incoming Test




Pallet Quality Assurance



▲ Compression Test

▲ Dynamic Test

▲ Bending Test



▲ Static Test

▲ Drop Test

ISO8611 Impact Test at -25°C & +60°C




▲ Incline Impact Resistance Test of Pallet Leading-Edge Deckboard


▲ Fork Tine Impact Test

▲ Pallet underwent Collapse Resistance Test


HOW TO RACK **INTRACOPALLET®** ONE-WAY PALLET?




▲ Install U-beam on the rack
* one beam per runner



▲ Install mesh panel



▲ Install plywood board



▲ Use double pallet

APPLICATION



▲ Carton boxes



▲ Pillow bags



▲ Natural Rubber Pallet (NRP)



▲ Drums

Jumbo bags



▲ Short Sack



▲ Tall sack



▲ Double Sack




▲ Double Stack

Features: Ultra-light and made of 100% recycled materials

Applications: Suitable for one-way cargo shipments

Storage: Stackable & rackable with supported rack



Bottom

X7474D4-1A

Double Deck	
Dimension	740 x 740 x 130mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1000kg unified load




4 way



4 way



N/A



Bottom

X1110D4-1A

Double Deck	
Dimension	1100 x 1000 x 150mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1300kg unified load




4 way



4 way



N/A



Bottom

X1111D4-5A

Double Deck	
Dimension	1100 x 1000 x 120mm
Material	PPC
Colour	Black
Static	2000kg unified load
Dynamic	1000kg unified load




4 way



4 way




N/A



Bottom

X1111D4-3A


Double Deck	
Dimension	1100 x 1100 x 127mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1300kg unified load
4 way	4 way N/A



Bottom

X1111D4-1A


Double Deck	
Dimension	1130 x 1130 x 127mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1500kg unified load
4 way	4 way N/A



Bottom

X1111D4-1B


Double Deck	
Dimension	1130 x 1130 x 127mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1500kg unified load
4 way	4 way N/A



Bottom

X1111D4-4A


Double Deck	
Dimension	1100 x 1100 x 150mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1500kg unified load
	 4 way  4 way  N/A



Bottom

X1050K2-1A


Nestable	
Dimension	1050 x 1050 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1300kg unified load
	 2 way  2 way  2 way



Bottom

X1111K2-1A


Nestable	
Dimension	1100 x 1100 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1300kg unified load
	 2 way  2 way  2 way



Bottom

X1040R4-1A



Reversible	
Dimension	1040 x 1040 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1500kg unified load
4 way	N/A N/A



Bottom

X1111R4-1A


Reversible	
Dimension	1100 x 1100 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1500kg unified load
4 way	N/A N/A



Bottom


X1111R4-2A

Reversible	
Dimension	1100 x 1100 x 140mm
Material	PPC
Colour	Black
Static	3000kg
Dynamic	1500kg
4 way	N/A N/A



X1111R4-2B

Reversible	
Dimension	1100 x 1100 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1500kg unified load
 4 way  N/A  N/A	




X1111S4-2A

Single-sided	
Dimension	1100 x 1100 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
Racking	300kg unified load
 4 way  2 way  2 way	

X1111S4-2M


Single-sided	
Dimension	1100 x 1100 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
Racking	1000kg unified load
 4 way  2 way  2 way	



Bottom

X1140D4-1A

Double Deck	
Dimension	1140 x 1140 x 140mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	2160kg unified load
 4 way  4 way  N/A	




Bottom

stud/stopper for drum application

X1140D4-1B


Double Deck	
Dimension	1140 x 1140 x 140mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	2160kg unified load
 4 way  4 way  N/A	



Bottom

X1210D4-1A

Double Deck	
Dimension	1200 x 1000 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1000kg unified load
 4 way  4 way  N/A	




Bottom

X1210D4-2B

Double Deck	
Dimension	1200 x 1000 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
 4 way	 4 way  N/A

*Please consult manufacturer for racking application



Bottom

X1280S4-2A

Single-sided	
Dimension	1200 x 800 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
Racking	300kg unified load

 4 way

 4 way

 2 way


X1280S4-2M

Single-sided	
Dimension	1200 x 800 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
Racking	1000kg unified load

 4 way

 4 way


 2 way



Bottom

X1210D4-2A

Double Deck	
Dimension	1200 x 1000 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
4 way	4 way N/A




Bottom



Nestable 25 empty pallets stack to 1.0 meter high

X4840K4-1A


9-Leg Nestable	
Dimension	1220 x 1016 x 130mm (48"x40"x5")
Material	PPC
Colour	Black
Static	2000kg unified load
Dynamic	1000kg unified load
4 way	4 way 4 way



Bottom


X4840D4-2A

Double Deck	
Dimension	1220 x 1016 x 120mm
Material	PPC
Colour	Black
Static	3000kg unified load
Dynamic	1000kg unified load
4 way	4 way N/A




X4840D4-2B

Double Deck	
Dimension	1220 x 1016 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1000kg unified load
4 way	4 way N/A




X1311R4-1A

Reversible	
Dimension	1300 x 1100 x 150mm
Material	PPC
Colour	Black
Static	4500kg
Dynamic	1500kg
4 way	N/A N/A



X1311D4-3B



Double Deck	
Dimension	1300 x 1100 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1500kg unified load
4 way	2 way N/A



Bottom

X1311D4-4A


Double Deck	
Dimension	1300 x 1100 x 130mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1300kg unified load
4 way	2 way N/A




Bottom

X1311D4-5A


Double Deck	
Dimension	1300 x 1100 x 150mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	2000kg unified load
4 way	2 way N/A






Bottom

X1411D4-1A	
Double Deck	
Dimension	1400 x 1100 x 130mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1300kg unified load
 4 way	 2 way  N/A



Bottom


X1411D4-2C	
Double Deck	
Dimension	1400 x 1100 x 120mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	2000kg unified load
 4 way	 N/A  N/A



Bottom

X1411D4-4A

Double Deck	
Dimension	1400 x 1100 x 150mm
Material	PPC
Colour	Black
Static	4500kg unified load
Dynamic	2000kg unified load
4 way	2 way N/A




Bottom

X1411D4-2B (NRP 2B)

Double Deck	
Dimension	1430 x 1130 x 160mm
Material	PPC
Colour	Black / Grey
Static	4000kg unified load
Dynamic	1300kg unified load
4 way	2 way N/A






Bottom

X1411D4-5A (NRP 5A)

Double Deck	
Dimension	1425 x 1125 x 140mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1300kg unified load
 4 way	 N/A  N/A



Bottom

X1411D4-3A (NRP 3A)


Double Deck	
Dimension	1400 x 1100 x 140mm
Material	PPC
Colour	Black
Static	4000kg unified load
Dynamic	1300kg unified load
 4 way	 N/A  N/A



Features: Light weight, can be made of virgin or recycled material

Applications: Suitable for shipment of plastic or glass, bottles, metal cans & jars

Storage: Stackable



T1210TN-2A

Dimension 1200 x 1000 x 30mm

Material PPC

Colour Make to order

Static NA

Dynamic NA




N/A



N/A



N/A



T4840TN-2A

Dimension 1220 x 1016 x 30mm

Material PPC

Colour Make to order

Static NA

Dynamic NA





N/A



N/A



N/A



Bottom

T4840TN-1A

Dimension	1220 x 1016 x 25mm
Material	PPC
Colour	Make to order
Static	NA
Dynamic	NA




N/A



N/A



N/A



Bottom

T1210TN-1A

Dimension	1200 x 1000 x 25mm
Material	PPC
Colour	Make to order
Static	NA
Dynamic	NA



N/A



N/A



N/A

PALLET USAGE GENERAL RULES



IntracoPallet® products have been tested to international standards. It must be handled by proper methods to avoid undesirable consequences.


Please use the pallet within the stipulated General Rules stated below:



DOs



DON'Ts



- ! Adjust forklift tines to suit the IntracoPallet entry width with the tines at least 3cm from the block.



- ! Fork tines must be fully inserted into pallet before lifting it.



Fork tines not exceed pallet depth

- ! Fork tines must be same as the pallet depth to avoid damaging the pallets.




- ! For D4 and S4 type pallet, use the hand pallet truck/forklift to move the pallet. For R4 type pallet, use the base pallet to unload the pallet.



- ! Adjust forklift tines to suit the IntracoPallet entry width with the tines at least 3cm from the block.




- ! Do not lift the pallet when the fork tines not fully inserted.



- ! Do not over extend fork tines beyond pallet depth to avoid damaging pallets and goods in the other side.



- ! Do not pull out pallet on the container floor; always lift it up before moving.



- ! Do not throw or drop the pallet

Disclaimer:

- The pallets condition in container had been confirmed good condition, please handle the pallet as per general rules above.
- Any damaged pallets during the unstuffing process cannot be claim to supplier.



SEE HAU GLOBAL SDN BHD (311566-V)
80 Jalan Pahang, 53000 Kuala Lumpur, Malaysia

T: 603-4042 1355
F: 603-4042 3407 / 603-4042 9630
E: enquiry@intraco.com.my



www.intracopallet.com